



Lighting Catalog

(Pictures, Materials and Rates)



This Page Intensionally Left Blank

Index

<u>Description</u>	<u>Page</u>
Index	i - ii
GRU Rental Rates Classes	1
GRU Rental Light Selection	2, 3
GRU Light & Pole Types Quick Reference	4 - 6
Lighting Definitions	7
GRU Rental Light Rates	8 - 17
GRU Rental Light Rate Matrix	18
GRU Light Manufacturer Information	19
GRU Pole Manufacturer Information	20
LED “Full Cutoff “ Roadway Light (Photo)	22
LED Roadway Cutoff 1 - Gray	23
LED Roadway Cutoff 2 - Gray	24
LED Roadway Cutoff 3 - Gray	25
LED Roadway Cutoff 4 - Gray	26
Concrete Poles	27
Woods Poles	28
LED Black “Full Cutoff ‘ Roadway Light (Photo)	30
LED Roadway Cutoff 2 - Black	31
LED Roadway Cutoff 3 - Black	32
LED Roadway Cutoff 4 - Black	33
Concrete Pole Black 35’ (30’ Mounting Height) Specifications	34
Concrete Pole Black 35’ (30’ Mounting Height) Drawing	35
Concrete Pole Black 40’ (35’ Mounting Height) Specifications	36
Concrete Pole Black 40’ (35’ Mounting Height) Drawing	37
LED Round Roadway Light - Black (Photo)	38
LED Round Roadway Light	39
Aluminum Pole 30’ Black Round Non-Tapered	40

Index cont.

<u>Description</u>	<u>Page</u>
LED Pendant Roadway Light (Photo)	42
LED Pendant Roadway Light	43
Steel Pole 18' Black "Bottleneck" Specifications	44
Steel Pole 18' Black "Bottleneck" Drawing	45
LED Small Pendant Pedestrian Light (Photo)	46
LED Small Pendant Pedestrian Light	47
Steel Pole 12' Black Specifications	48
Steel Pole 12' Black Drawing	49
LED Acorn Pedestrian Light (Photo)	50
LED Acorn Pedestrian Light	51
Concrete Pole 10' (nominal) Black Decorative	52
LED Teardrop Roadway Light (Photo)	54
LED Teardrop Roadway Light	55
2'-0" and 4'-0" Mounting Arm Bracket Specifications	56
Steel Pole 26' Black "Bottleneck"	57
2'-0" Mounting Arm Bracket Drawing	58
4'-0" Mounting Arm Bracket Drawing	59
Flood Light (HID) (Photo)	60
250 & 400 Watt High Pressure Sodium	61
400 Watt Metal Halide	62
Concrete Poles	63
Woods Poles	64

GRU RENTAL LIGHT RATE CLASSES

*** Light Rate Classes:**


All GRU Rental Lights covered under the "Light Rate Classes" listed below are owned by GRU. Lights installed behind a meter are private lights owned by the customer.

- 1) Public Street Light Rate Class: This class of light rates are lights used by a governmental body, mainly the City of Gainesville or Alachua County Board of Commissioners (Public Works) which pays the monthly rental rate. The monthly Public Street Light Rate includes all materials *including wire*, the cost of installation, maintenance and energy of the light(s). The rental rate for lights does not include the rental rate of a **pole to support the light. If a pole is necessary to support a rental light a separate pole rental rate shall be charged in addition to light rental rate. The monthly Pole Rental Rate includes all materials including wire, the cost of installation and maintenance of the pole(s). The pole shall also be rented under this same class.
- 2) Public Agency Light Rate Class: This class of light rates are lights used by a governmental body, mainly the City of Gainesville or Alachua County Board of Commissioners (Public Works), and the monthly rental rate is paid for by the Public Agency. The Public Agency monthly rate, which allows the agency to "Buy Down" the rental rate, includes the energy charge and normal maintenance cost ONLY. The rates for lights do not include the installation of **poles. The installation cost (materials, *including wire*, GRU engineering, construction cost and overheads) for lights and poles (if needed) shall be paid for up front by the governmental body responsible for the monthly rental charges prior to installation by GRU. **The ownership of the lights and poles remains with GRU.**
- 3) Rental Light Rate Class: This class of light rates are lights used by a commercial, industrial or residential customer where the monthly rental rate is paid for by the customer. The monthly Rental Light Rate includes all materials *including wire*, the cost of installation, maintenance and energy of the light(s). The rental rate for lights does not include the rental rate of a **pole to support the light. If a pole is necessary to support a rental light a separate pole rental rate shall be charged in addition to light rental rate. The monthly Pole Rental Rate includes all materials including wire, the cost of installation and maintenance of the pole(s). The pole shall also be rented under this same class.
- 4) Rental Agency Light Rate Class: This class of light rates are lights used by a commercial, industrial or residential customer and the monthly rental rate is paid for by the customer. The Rental Agency monthly rate, which allows the agency to "Buy Down" the rental rate, includes the energy charge and normal maintenance cost ONLY. The rates for lights do not include the installation of **poles. The installation cost (materials, *including wire*, GRU engineering, construction cost and overheads) for lights and poles (if needed) shall be paid for up front by the customer responsible for the monthly rental charges prior to installation by GRU. **The ownership of the lights and poles remains with GRU.**


*** All Light Rate Classes do not include Poles, fuel adjustments, taxes or fees.**

**** GRU Rental Lights may be installed on GRU distribution poles or GRU Rental Light Poles ONLY.**


GRU RENTAL LIGHT SELECTIONS




LED Roadway Cutoff Light
(gray & black)
(Light Types L38, L39, L40, L41,
L42, L43, L44)



LED Round Roadway
Light
w/Aluminum Pole (Black)
(Light Type L51: Pole Type P11)




LED Teardrop Light
w/ 2'-0" Mounting Arm Bracket
and 26' Black Bottleneck Pole
(Light Type L53; Pole Type P7)






LED Teardrop Light
w/ 4'-0" Mounting Arm Bracket
and 26' Black Bottleneck Pole
(Light Type L54; Pole Type P7)

GRU RENTAL LIGHT SELECTIONS



Flood Light with Shield
(Light Types L12, L10, L22)



GRU LIGHT & POLE TYPES QUICK REFERENCE

GRU Lighting Type Sheet	Light Type	Photo
LED Roadway Cutoff 1 - Gray	L38	
LED Roadway Cutoff 2 - Gray	L39	
LED Roadway Cutoff 3 - Gray	L40	
LED Roadway Cutoff 4 - Gray	L41	
LED Roadway Cutoff 2 - Black	L42	
LED Roadway Cutoff 3 - Black	L43	
LED Roadway Cutoff 4 - Black	L44	
LED Teardrop 2 Roadway Light (2ft Arm) - Black	L53	
LED Teardrop 4 Roadway Light (4ft Arm) - Black	L54	
LED Round Roadway Light (Hockey Puck) - Black	L51	
LED Pendant Roadway Light - Black	L55	
LED Acorn Pedestrian Light - Black	L52	
LED Small Pendant Pedestrian Light - Black	L56	
250 watt HPS Flood Light, - Gray	L12	
400 watt HPS Flood Light, - Gray	L10	
400 watt MH Flood Light, - Gray	L22	

GRU LIGHT & POLE TYPES QUICK REFERENCE

GRU Pole Type Sheet	Pole Type	Photo
10 ft Direct Buried Decorative Black Concrete Pole for Light Types L29, L30 and L52	P1	
30 ft Concrete Pole	P9	
35 ft Concrete Pole	P13	
40 ft Concrete Pole	P16	
45 ft Concrete Pole	P19	
35 ft Octagonal Black Concrete Pole (30' mounting) for Light Types L42 and L43	P14	
40 ft Octagonal Black Concrete Pole (35' mounting) for Light Types L43 and L44	P17	
30 ft Fiberglass Break-a-way Pole	P10	
18 ft Steel Domus/LED Pendant Roadway Light Black pole for Light Type L27 and L55	P5	

GRU LIGHT & POLE TYPES QUICK REFERENCE

GRU Pole Type Sheet	Pole Type	Photo
26 ft Steel Renaissance/LED Teardrop 2 & 4 Roadway Black Pole for Light Types L33, L34, L53 and L54	P7	
30 ft wood Pole 35 ft wood Pole 40 ft wood Pole 45 ft Wood Pole	P8 P12 P-15 P18	
12 ft Steel Small Domus/LED Small Pendant Pedestrian Light Black pole for Light Types L38 and L56	P21	
30 ft Non-Tapered Round Black pole for Light Type L17	P11	

Lighting Definitions:

Cutoff -	light or luminaire that describes a luminaire having a light distribution in which the candela per 1000 lamp lumens does not numerically exceed 25 (2.5%) at or above an angle of 90° above nadir, and 100 (10%) at or above a vertical angle of 80° above nadir. This applies to all lateral angles around the luminaire.
Fixture -	same as luminaire and light - main housing, lamp and photoelectric control (photo cell, sun switch)
Floodlight -	Flood Light
H.P.S. -	High Pressure Sodium - type of lamp
LED -	light-emitting diode - light type
Light -	same as luminaire and fixture - main housing, lamp and photoelectric control (photo cell, sun switch)
Luminaire -	same as light and fixture - main housing, lamp and photoelectric control (photo cell, sun switch)
M.H. -	Metal Halide - type of lamp
Pedestrian -	areas used by walking traffic
Roadway -	areas used by automobile traffic

**Public Street Light Rate Class -
(Governmental - Non-Contributed)**

Light Type ***Monthly Rate**

Roadway Lights:

LED Roadway Cutoff 1 (gray) (3000K) (Light Type L38).....	\$ 11.00
LED Roadway Cutoff 2 (gray) (3000K) (Light Type L39).....	\$ 12.50
LED Roadway Cutoff 3 (gray) (3000K) (Light Type L40).....	\$ 16.00
LED Roadway Cutoff 4 (gray) (3000K) (Light Type L41).....	\$ 20.50
LED Roadway Cutoff 2 (black) (3000K) (Light Type L42).....	\$ 12.50
LED Roadway Cutoff 3 (black) (3000K) (Light Type L43).....	\$ 16.00
LED Roadway Cutoff 4 (black) (3000K) (Light Type L44).....	\$ 20.50

Decorative Roadway Lights:

LED - Round Roadway (Light Type L51)	\$ 35.50
LED Teardrop Roadway on 2'-0" Mounting Arm Bracket (black) (Light Type L53).....	\$ 29.25
LED Teardrop Roadway on 4'-0" Mounting Arm Bracket (black) (Light Type L54).....	\$ 29.25
LED - Pendant Roadway (black) (Light Type L55).....	\$ 25.00

Floodlight:

250 Watt H.P.S (Light Type L12).....	\$ 11.25
400 Watt H.P.S. (Light Type L10).....	\$ 13.50
400 Watt Metal Halide (Light Type L22).....	\$ 16.25

Decorative Pedestrian Lights:

LED Acorn Pedestrian - (Black) (Light Type L52).....	\$ 25.25
LED Small Pendant Pedestrian - (black) (Light Type L56).....	\$ 23.25

*** Monthly Rates DO NOT include Fuel Adjustment Charges, Fees, or Taxes**

**POLE RATES ARE NOT INCLUDED IN LIGHT RATES
PLEASE SEE DEFINITIONS FOR
GRU LIGHT RATE CLASSES**

Public Street Light Rate Class - Mass Change Out
(Governmental - Non-Contributed)

Light Type

***Monthly Rate**

Roadway Lights:

LED Roadway Cutoff 1 (gray) (3000K) (Light Type L61).....	\$ 5.25
LED Roadway Cutoff 2 (gray) (3000K) (Light Type L62).....	\$ 6.75
LED Roadway Cutoff 3 (gray) (3000K) (Light Type L63).....	\$ 9.25
LED Roadway Cutoff 4 (gray) (3000K) (Light Type L64).....	\$ 13.50
LED Roadway Cutoff 2 (black) (3000K) (Light Type L65).....	\$ 6.75
LED Roadway Cutoff 3 (black) (3000K) (Light Type L66).....	\$ 9.25
LED Roadway Cutoff 4 (black) (3000K) (Light Type L67).....	\$ 13.50

Decorative Roadway Lights:

LED - Round Roadway (Light Type L68)	\$ 30.25
LED Teardrop Roadway on 2'-0" Mounting Arm Bracket (black) (Light Type L70).....	\$ 23.00
LED Teardrop Roadway on 4'-0" Mounting Arm Bracket (black) (Light Type L71).....	\$ 23.25
LED - Pendant Roadway (black) (Light Type L72).....	\$ 19.50

Decorative Pedestrian Lights:

LED Acorn Pedestrian - (Black) (Light Type L69).....	\$ 20.75
LED Small Pendant Pedestrian - (black) (Light Type L73).....	\$ 18.00

*** Monthly Rates DO NOT include Fuel Adjustment Charges, Fees, or Taxes**

POLE RATES ARE NOT INCLUDED IN LIGHT RATES
PLEASE SEE DEFINITIONS FOR
GRU LIGHT RATE CLASSES

Public Street Light Pole Rates -
(Governmental)

<u>Pole Type</u>	<u>* Monthly Rate</u>
30 Ft. Non - Tapped Aluminum (Pole Type P11)	\$ 30.75
12Ft. Non - Tapped Aluminum (Pole Type P21)	\$ N/A
10 Ft. Concrete (black "fluted" decorative) (Pole Type P1)	\$ 15.00
30 Ft. Concrete (Pole Type P9)	\$ 6.50
35 Ft. Concrete (Pole Type P13)	\$ 6.75
35 Ft. Concrete (black octagonal) (Pole Type P14)	\$ 18.25
40 Ft. Concrete (black octagonal) (Pole Type P17)	\$ 27.75
40 Ft. Concrete (Pole Type P16)	\$ 8.75
45 Ft. Concrete (Pole Type P19)	\$ 9.25
30 Ft. Fiberglass (break-a-way) (Pole Type P10)	\$ 15.00
18 Ft. Steel Black "Bottleneck" (Pole Type P5)	\$ 22.00
26 Ft. Steel Black "Bottleneck" (Pole Type P7)	\$ 35.50
30 Ft. Wood (Pole Type P8)	\$ 4.50
35 Ft. Wood (Pole Type P12)	\$ 4.75
40 Ft. Wood (Pole Type P15)	\$ 5.00
45 Ft. Wood (Pole Type P18)	\$ 15.00

*** Monthly Rates DO NOT include Fuel Adjustment Charges, Fees, or Taxes**

POLE RATES ARE NOT INCLUDED IN LIGHT RATES
PLEASE SEE DEFINITIONS FOR
GRU LIGHT RATE CLASSES

Public Agency Light Rate Class -
(Governmental - Contributed)

Light Type

***Monthly Rate**

Roadway Lights:

LED Roadway Cutoff 1 (gray) (3000K) (Light Type L38).....	\$ 2.00
LED Roadway Cutoff 2 (gray) (3000K) (Light Type L39).....	\$ 3.25
LED Roadway Cutoff 3 (gray) (3000K) (Light Type L40).....	\$ 4.25
LED Roadway Cutoff 4 (gray) (3000K) (Light Type L41).....	\$ 6.75
LED Roadway Cutoff 2 (black) (3000K) (Light Type L42).....	\$ 3.25
LED Roadway Cutoff 3 (black) (3000K) (Light Type L43).....	\$ 4.25
LED Roadway Cutoff 4 (black) (3000K) (Light Type L44).....	\$ 6.75

Decorative Roadway Lights:

LED - Round Roadway (Light Type L51)	\$ 8.00
LED Teardrop Roadway on 2'-0" Mounting Arm Bracket (black) (Light Type L53).....	\$ 4.75
LED Teardrop Roadway on 4'-0" Mounting Arm Bracket (black) (Light Type L54).....	\$ 4.75
LED - Pendant Roadway (black) (Light Type L55).....	\$ 3.25

Floodlight:

250 Watt H.P.S (Light Type L12).....	\$ 8.00
400 Watt H.P.S. (Light Type L10).....	\$ 11.50
400 Watt Metal Halide (Light Type L22).....	\$ 11.50

Decorative Pedestrian Lights:

LED Acorn Pedestrian - (Black) (Light Type L52).....	\$ 3.50
LED Small Pendant Pedestrian - (black) (Light Type L56).....	\$ 3.00

*** Monthly Rates DO NOT include Fuel Adjustment Charges, Fees, or Taxes**

POLE RATES ARE NOT INCLUDED IN LIGHT RATES
PLEASE SEE DEFINITIONS FOR
GRU LIGHT RATE CLASSES

Public Agency Street Light Rate Class -
(Contributed - Mass Change Out)

Light Type

***Monthly Rate**

Roadway Lights:

LED Roadway Cutoff 1 (gray) (3000K) (Light Type L61).....	\$ 2.00
LED Roadway Cutoff 2 (gray) (3000K) (Light Type L62).....	\$ 3.25
LED Roadway Cutoff 3 (gray) (3000K) (Light Type L63).....	\$ 4.25
LED Roadway Cutoff 4 (gray) (3000K) (Light Type L64).....	\$ 6.75
LED Roadway Cutoff 2 (black) (3000K) (Light Type L65).....	\$ 3.25
LED Roadway Cutoff 3 (black) (3000K) (Light Type L66).....	\$ 4.25
LED Roadway Cutoff 4 (black) (3000K) (Light Type L67).....	\$ 6.75

Decorative Roadway Lights:

LED - Round Roadway (Light Type L68)	\$ 8.00
LED Teardrop Roadway on 2'-0" Mounting Arm Bracket (black) (Light Type L70).....	\$ 3.50
LED Teardrop Roadway on 4'-0" Mounting Arm Bracket (black) (Light Type L71).....	\$ 4.75
LED - Pendant Roadway (black) (Light Type L72).....	\$ 3.25

Decorative Pedestrian Lights:

LED Acorn Pedestrian - (Black) (Light Type L69).....	\$ 3.50
LED Small Pendant Pedestrian - (black) (Light Type L73).....	\$ 3.00

*** Monthly Rates DO NOT include Fuel Adjustment Charges, Fees, or Taxes**

POLE RATES ARE NOT INCLUDED IN LIGHT RATES
PLEASE SEE DEFINITIONS FOR
GRU LIGHT RATE CLASSES

Rental Light Rate Class -
(Commercial & Residential - Non-Contributed)

Light Type ***Monthly Rate**

Roadway Lights:

LED Roadway Cutoff 1 (gray) (3000K) (Light Type L38).....	\$ 12.50
LED Roadway Cutoff 2 (gray) (3000K) (Light Type L39).....	\$ 14.25
LED Roadway Cutoff 3 (gray) (3000K) (Light Type L40).....	\$ 18.00
LED Roadway Cutoff 4 (gray) (3000K) (Light Type L41).....	\$ 22.75
LED Roadway Cutoff 2 (black) (3000K) (Light Type L42).....	\$ 14.25
LED Roadway Cutoff 3 (black) (3000K) (Light Type L43).....	\$ 18.00
LED Roadway Cutoff 4 (black) (3000K) (Light Type L44).....	\$ 22.75

Decorative Roadway Lights:

LED - Round Roadway (Light Type L51)	\$ 39.50
LED Teardrop Roadway on 2'-0" Mounting Arm Bracket (black) (Light Type L53).....	\$ 32.75
LED Teardrop Roadway on 4'-0" Mounting Arm Bracket (black) (Light Type L54).....	\$ 32.75
LED - Pendant Roadway (black) (Light Type L55).....	\$ 28.25

Floodlight:

250 Watt H.P.S (Light Type L12).....	\$ 13.00
400 Watt H.P.S. (Light Type L10).....	\$ 15.25
400 Watt Metal Halide (Light Type L22).....	\$ 16.25

Decorative Pedestrian Lights:

LED Acorn Pedestrian - (Black) (Light Type L52).....	\$ 28.50
LED Small Pendant Pedestrian - (black) (Light Type L56).....	\$ 26.25

*** Monthly Rates DO NOT include Fuel Adujstment Charges, Fees, or Taxes**

POLE RATES ARE NOT INCLUDED IN LIGHT RATES
PLEASE SEE DEFINITIONS FOR
GRU LIGHT RATE CLASSES

Rental Agency Street Light Rate Class -
(Non-Contributed - Mass Change Out)

Light Type

***Monthly Rate**

Roadway Lights:

LED Roadway Cutoff 1 (gray) (3000K) (Light Type L61).....	\$ 6.00
LED Roadway Cutoff 2 (gray) (3000K) (Light Type L62).....	\$ 7.50
LED Roadway Cutoff 3 (gray) (3000K) (Light Type L63).....	\$ 10.50
LED Roadway Cutoff 4 (gray) (3000K) (Light Type L64).....	\$ 15.00
LED Roadway Cutoff 2 (black) (3000K) (Light Type L65).....	\$ 7.50
LED Roadway Cutoff 3 (black) (3000K) (Light Type L66).....	\$ 10.50
LED Roadway Cutoff 4 (black) (3000K) (Light Type L67).....	\$ 15.00

Decorative Roadway Lights:

LED - Round Roadway (Light Type L68)	\$ 33.75
LED Teardrop Roadway on 2'-0" Mounting Arm Bracket (black) (Light Type L70).....	\$ 26.00
LED Teardrop Roadway on 4'-0" Mounting Arm Bracket (black) (Light Type L71).....	\$ 26.00
LED - Pendant Roadway (black) (Light Type L72).....	\$ 21.50

Decorative Pedestrian Lights:

LED Acorn Pedestrian - (Black) (Light Type L69).....	\$ 23.25
LED Small Pendant Pedestrian - (black) (Light Type L73).....	\$ 19.75

*** Monthly Rates DO NOT include Fuel Adjustment Charges, Fees, or Taxes**

POLE RATES ARE NOT INCLUDED IN LIGHT RATES
PLEASE SEE DEFINITIONS FOR
GRU LIGHT RATE CLASSES

**Rental Light Pole Rates -
(Commercial & Residential)**

<u>Pole Type</u>	<u>* Monthly Rate</u>
30 Ft. Non - Tapped Aluminum (Pole Type P11)	\$ 30.75
12Ft. Non - Tapped Aluminum (Pole Type P21)	\$ N/A
10 Ft. Concrete (black "fluted" decorative) (Pole Type P1)	\$ 15.00
30 Ft. Concrete (Pole Type P9)	\$ 6.50
35 Ft. Concrete (Pole Type P13)	\$ 6.75
35 Ft. Concrete (black octagonal) (Pole Type P14)	\$ 18.25
40 Ft. Concrete (black octagonal) (Pole Type P17)	\$ 27.75
40 Ft. Concrete (Pole Type P16)	\$ 8.75
45 Ft. Concrete (Pole Type P19)	\$ 9.25
30 Ft. Fiberglass (break-a-way) (Pole Type P10)	\$ 15.00
18 Ft. Steel Black "Bottleneck" (Pole Type P5)	\$ 22.00
26 Ft. Steel Black "Bottleneck" (Pole Type P7)	\$ 35.50
30 Ft. Wood (Pole Type P8)	\$ 4.50
35 Ft. Wood (Pole Type P12)	\$ 4.75
40 Ft. Wood (Pole Type P15)	\$ 5.00
45 Ft. Wood (Pole Type P18)	\$ 15.00

*** Monthly Rates DO NOT include Fuel Adjustment Charges, Fees, or Taxes**

**POLE RATES ARE NOT INCLUDED IN LIGHT RATES
PLEASE SEE DEFINITIONS FOR
GRU LIGHT RATE CLASSES**

Rental Agency Light Rate Class -
(Residential/Commercial - Contributed)

Light Type

*** Monthly Rate**

Roadway Lights:

LED Roadway Cutoff 1 (gray) (3000K) (Light Type L38).....	\$ 2.25
LED Roadway Cutoff 2 (gray) (3000K) (Light Type L39).....	\$ 3.50
LED Roadway Cutoff 3 (gray) (3000K) (Light Type L40).....	\$ 4.50
LED Roadway Cutoff 4 (gray) (3000K) (Light Type L41).....	\$ 7.00
LED Roadway Cutoff 2 (black) (3000K) (Light Type L42).....	\$ 3.50
LED Roadway Cutoff 3 (black) (3000K) (Light Type L43).....	\$ 4.50
LED Roadway Cutoff 4 (black) (3000K) (Light Type L44).....	\$ 7.00

Decorative Roadway Lights:

LED - Round Roadway (Light Type L51)	\$ 8.25
LED Teardrop Roadway on 2'-0" Mounting Arm Bracket (black) (Light Type L53).....	\$ 5.00
LED Teardrop Roadway on 4'-0" Mounting Arm Bracket (black) (Light Type L54).....	\$ 5.00
LED - Pendant Roadway (black) (Light Type L55).....	\$ 3.50

Floodlight:

250 Watt H.P.S (Light Type L12).....	\$ 8.00
400 Watt H.P.S. (Light Type L10).....	\$ 11.50
400 Watt Metal Halide (Light Type L22).....	\$ 11.50

Decorative Pedestrian Lights:

LED Acorn Pedestrian - (Black) (Light Type L52).....	\$ 3.75
LED Small Pendant Pedestrian - (black) (Light Type L56).....	\$ 3.25

*** Monthly Rates DO NOT include Fuel Adjustment Charges, Fees, or Taxes**

POLE RATES ARE NOT INCLUDED IN LIGHT RATES
PLEASE SEE DEFINITIONS FOR
GRU LIGHT RATE CLASSES

Rental Agency Light Rate Class -
(Residential/Commercial - Contributed Mass Change Out)

Light Type ***Monthly Rate**

Roadway Lights:

LED Roadway Cutoff 1 (gray) (3000K) (Light Type L61).....	\$ 2.25
LED Roadway Cutoff 2 (gray) (3000K) (Light Type L62).....	\$ 3.50
LED Roadway Cutoff 3 (gray) (3000K) (Light Type L63).....	\$ 4.50
LED Roadway Cutoff 4 (gray) (3000K) (Light Type L64).....	\$ 7.00
LED Roadway Cutoff 2 (black) (3000K) (Light Type L65).....	\$ 3.50
LED Roadway Cutoff 3 (black) (3000K) (Light Type L66).....	\$ 4.50
LED Roadway Cutoff 4 (black) (3000K) (Light Type L67).....	\$ 7.00

Decorative Roadway Lights:

LED - Round Roadway (Light Type L68)	\$ 8.25
LED Teardrop Roadway on 2'-0" Mounting Arm Bracket (black) (Light Type L70).....	\$ 5.00
LED Teardrop Roadway on 4'-0" Mounting Arm Bracket (black) (Light Type L71).....	\$ 5.00
LED - Pendant Roadway (black) (Light Type L72).....	\$ 3.50

Decorative Pedestrian Lights:

LED Acorn Pedestrian - (Black) (Light Type L69).....	\$ 3.75
LED Small Pendant Pedestrian - (black) (Light Type L73).....	\$ 3.25

*** Monthly Rates DO NOT include Fuel Adjustment Charges, Fees, or Taxes**

POLE RATES ARE NOT INCLUDED IN LIGHT RATES
PLEASE SEE DEFINITIONS FOR
GRU LIGHT RATE CLASSES

GRU Rental Light Rate Material Matrix

LED ROADWAY LIGHTS:

Gray:

- LED Roadway Cutoff 1 - (gray) (Light Type L38)
(Rate includes: Fixture, 4ft. Mounting Arm, Photo Control, Connectors, Wire)
- LED Roadway Cutoff 2 - (gray) (Light Type L39)
(Rate includes: Fixture, 10 ft. Mounting Arm, Photo Control, Connectors, Wire)
- LED Roadway Cutoff 3 - (gray) (Light Type L40)
(Rate includes: Fixture, 10 ft. Mounting Arm, Photo Control, Connectors, Wire)
- LED Roadway Cutoff 4 - (gray) (Light Type L41)
(Rate includes: Fixture, 10 ft. Mounting Arm, Photo Control, Connectors, Wire)

Black:

- LED Roadway Cutoff 2 - (black) (Light Type L42)
(Rate includes: Fixture, 10 ft. Mounting Arm, Photo Control, Connectors, Wire)
- LED Roadway Cutoff 3 - (black) (Light Type L43)
(Rate includes: Fixture, 10 ft. Mounting Arm, Photo Control, Connectors, Wire)
- LED Roadway Cutoff 4 - (black) (Light Type L44)
(Rate includes: Fixture, 10 ft. Mounting Arm, Photo Control, Connectors, Wire)

- LED Round Roadway - (black) (Light Type L51)
(Rate includes: Fixture, Lamp, Photo Control, Connectors, Wire)

- LED Teardrop Roadway - (black) on 2'-0" Mounting Arm Bracket (Light Type L53)
(Rate includes: Fixture, Lamp, 2 ft. Mounting Arm, Photo Control, Connectors, Wire)
- LED Teardrop Roadway - (black) on 4'-0" Mounting Arm Bracket (Light Type L54)
(Rate includes: Fixture, Lamp, 4 ft. Mounting Arm, Photo Control, Connectors, Wire)

- LED Pendant Roadway - (black) (Light Type L55)
(Rate includes: Fixture, Lamp, Mounting Arm, Photo Control, Connectors, Wire)

FLOODLIGHT:

- 250 Watt H.P.S (Light Type L12)
(Rate includes: Fixture, Lamp, Mounting Arm, Photo Control, Connectors, Wire)
- 400 Watt H.P.S. (Light Type L10)
(Rate includes: Fixture, Lamp, Mounting Arm, Photo Control, Connectors, Wire)
- 400 Watt Metal Halide (Light Type L22)
(Rate includes: Fixture, Lamp, Mounting Arm, Photo Control, Connectors, Wire)

PEDESTRIAN LIGHT:

- LED Acorn Pedestrian - (Black) (Light Type L52)
(Rate includes: Fixture, Lamp, Photo Control, Connectors, Wire)

- LED Small Pendant Pedestrian - (black) (Light Type L56)
(Rate includes: Fixture, Lamp, Mounting Arm, Photo Control, Connectors, Wire)

GRU Light Manufacturer Information

Manufacturers or Manufacture Representatives:

General Electric: Matt Smith (Supplier) Electric Supply of Tampa Inc.
4410 W. Cayuga Street
Tampa, FL 33614
Email: matt.smith@electricsupplyinc.com

American Lighting: Todd Sumner (Rep.) John Carter & Associates, Inc.
830 N Scenic Hwy
Babson Park, FL 33827
Email: tsumner@jca-inc.net

Cooper Lighting: Patrick H. Campbell (Rep.) Engineer Sales, Co.
North Florida
Cell: (904) 631-7227
Emil: pcampbell@engineersales.com

Philips/Lumec: Gary Woods (Rep.) SESCO Lighting
8110 Cypress Plaza Drive
Suite 301
Jacksonville, FL 32256
Phone: (904) 646-4772
Email: gwood@sescolighting.com

Kim Lighting Jim Capo (Rep.) First Coast Lighting
1825 University Blvd. West
Jacksonville, FL 32217
Phone: (904) 730-0222, Ext. 27
FAX: (904) 730-0224
Cell: (904) 704-9044

NOTE:
Contact GRU to verify Manufacturers List

GRU Pole Manufacturer Information

Manufacturers or Manufacture Representatives:

Wood Poles:

T. R. Miller Mill Co., Inc.
P.O. Box 708
Brewton, Al. 36427
Phone: (205) 867-4331

Ace Pole Co., Inc.
Waycross Hwy. 82E
P. O. Box 1323
Phone: (912) 449-4011

Atlantic Wood Industries, Inc.
P. O. Box 1608
Savannah, Ga. 31498

Langdale Forest Products Co.
P.O. Box 1088
Valdosta, GA 31603
Phone: (912) 964-1234

Swift Lumber, Inc.
P. O. Box Drawer 1298
Atmore, Al. 36502
Phone: (205) 368-2138

Apalachee Pole Company, Inc.
P. O. Box 7
Graceville, Fl. 32440
Phone: (904) 643-2121
(Send RFQ To: P.O. Box 68,
Bristol, Fl. 32321)

Concrete Poles:

Dura-Stress

Philips/Lumec Poles:

Gary Woods (Rep.)

SESCO Lighting
8110 Cypress Plaza Drive, Suite 301
Jacksonville, FL 32256
Phone: (904) 646-4772
Email: gwood@sescolighting.com

Traditional Concrete, Inc. Judy Graddy

JAG Lighting Solutions, Inc..
Phone: (407) 760-9817
jgraddy@Jaglightingsolutions.com

NOTE:

Contact GRU to verify Manufacturers List


This Page Intensionally Left Blank



LED Roadway Cutoff - (Gray) Light
(Light Types L38, L39, L40, L41; Pole Types P9, P13, P16, P19, P10, P8, P12, P15, P18)

GRU Lights, Poles and Brackets, cont.

LED Roadway Cutoff 1 - (Gray) Light:



GENERAL ELECTRIC LIGHTING

Description

LUMINAIRE, LED ROADWAY CUTOFF 1, GRAY WITH DIE-CAST ALUMINUM HOUSING. **SEE COMPLETE SPECIFICATIONS ON PAGE L-90.00 THRU L-90.03.**

Manufacturer

Catalog No.

SPECIFICATIONS:

LAMP WATTAGE RANGE: 45 TO 55 WATTS
LUMEN RANGE: 4800 TO 5000
VOLTAGE: 120 - 277 VOLTS
(WIRED FOR 120V.)

GENERAL ELECTRIC

ERL1-0-05-C3-30-A-110

LIGHT DISTRIBUTION -

IES TYPE: III
COLOR TEMPERATURE (CCA): 3,000 K. +/- 300
COLOR RENDERING INDEX: 70
OPERATING TEMPERATURE: -4 TO 122 F.
SURGE PROTECTION (MIN.): 10kV/10kA
INTERNAL BUBBLE LEVEL
TOOL-LESS ENTRY
NEMA PHOTOCONTROL RECEPTACLE
EXTERNAL FIELD I.D. MARKER: A REFLECTIVE
YELLOW "1" ON BLACK BACKGROUND (1-1/2" TALL)


ADJUSTABLE SLIPFITTER: 1-1/4" TO 2"
COLOR: GRAY
WEIGHT: 18 LBS.

NOTE:

20 YEAR PHOTOCONTROL LISTED ON ELECTRIC
STANDARDS PAGE P-5.45, S/N 58146-1

GRU Lights, Poles and Brackets, cont.

LED Roadway Cutoff 2 - (Gray) Light:



GENERAL ELECTRIC LIGHTING

Description

LUMINAIRE, LED ROADWAY CUTOFF 2, GRAY WITH DIE-CAST ALUMINUM HOUSING. **SEE COMPLETE SPECIFICATIONS ON PAGE L-90.00 THRU L-90.03.**

Manufacturer

Catalog No.

SPECIFICATIONS:

LAMP WATTAGE RANGE: 80 TO 105 WATTS
LUMENS RANGE: 8,000 TO 8,800
VOLTAGE: 120 - 277 VOLTS
(WIRED FOR 120V.)

GENERAL ELECTRIC

ERL1-0-09-C3-30-A-
GRAY-GLR-111

LIGHT DISTRIBUTION -

IES TYPE: III
COLOR TEMPERATURE (CCA): 3,000 K. +/- 300
COLOR RENDERING INDEX: 70 MIN.
OPERATING TEMPERATURE: -4 TO 122 F.
SURGE PROTECTION (MIN.): 10kV/10kA
INTERNAL BUBBLE LEVEL
TOOL-LESS ENTRY: YES
NEMA PHOTOCONTROL RECEPTACLE
EXTERNAL FIELD I.D. MARKER: A REFLECTIVE
YELLOW "1" ON BLACK BACKGROUND (1-1/2" TALL)


ADJUSTABLE SLIPFITTER: 1-1/4" TO 2"
COLOR: GRAY
WEIGHT: 18 LBS.

NOTE:

20 YEAR PHOTOCONTROL LISTED ON ELECTRIC
STANDARDS PAGE P-5.45, S/N 58146-1

GRU Lights, Poles and Brackets, cont.

LED Roadway Cutoff 3 - (Gray) Light:



GENERAL ELECTRIC LIGHTING

Description

LUMINAIRE, LED ROADWAY CUTOFF 3, GRAY WITH DIE-CAST ALUMINUM HOUSING. **SEE COMPLETE SPECIFICATIONS ON PAGE L-90.00 THRU L-90.03.**

Manufacturer

GENERAL ELECTRIC

Catalog No.

ERLH-0-13-C3-30-A-GRAY-GLR-052

SPECIFICATIONS:

LAMP WATTAGE RANGE: 140 TO 155 WATTS
LUMEN RANGE: 12,500 TO 13,500
VOLTAGE: 120 - 277 VOLTS
(WIRED FOR 120V.)

LIGHT DISTRIBUTION -

IES TYPE: III
COLOR TEMPERATURE (CCA): 3,000 K. +/- 300
COLOR RENDERING INDEX: 70
OPERATING TEMPERATURE: -4 TO 122 F.
SURGE PROTECTION (MIN.): 10kV/10kA
INTERNAL BUBBLE LEVEL
TOOL-LESS ENTRY: YES
EXTERNAL FIELD I.D. MARKER: A REFLECTIVE
YELLOW "1" ON BLACK BACKGROUND (1-1/2" TALL)


ADJUSTABLE SLIPFITTER: 1-1/4" TO 2"
COLOR: GRAY
WEIGHT: 20 - 25 LBS.

NOTE:

20 YEAR PHOTOCONTROL LISTED ON ELECTRIC
STANDARDS PAGE P-5.45, S/N 58121-6

GRU Lights, Poles and Brackets, cont.

LED Roadway Cutoff 4 - (Gray) Light:



GENERAL ELECTRIC LIGHTING

Description

LUMINAIRE, LED ROADWAY CUTOFF 4, GRAY WITH DIE-CAST ALUMINUM HOUSING. **SEE COMPLETE SPECIFICATIONS ON PAGE L-90.00 THRU L-90.03.**

Manufacturer

GENERAL ELECTRIC

Catalog No.

ERL2-0-23-C3-30-A-GRAY-GLR-032

SPECIFICATIONS:

LAMP WATTAGE RANGE: 190 TO 230 WATTS
LUMEN RANGE: 21,000 TO 23,000
VOLTAGE: 120 - 277 VOLTS
(WIRED FOR 120V.)

LIGHT DISTRIBUTION -

IES TYPE: III
COLOR TEMPERATURE (CCA): 3,000 K. +/- 300
COLOR RENDERING INDEX: 70
OPERATING TEMPERATURE: -4 TO 122 F.
SURGE PROTECTION (MIN.): 10kV/10kA
INTERNAL BUBBLE LEVEL
TOOL-LESS ENTRY: YES
EXTERNAL FIELD I.D. MARKER: A REFLECTIVE
YELLOW "1" ON BLACK BACKGROUND (1-1/2" TALL)


ADJUSTABLE SLIPFITTER: 1-1/4" TO 2"
COLOR: GRAY
WEIGHT: 20 TO 25 LBS.

NOTE:

20 YEAR PHOTOCONTROL LISTED ON ELECTRIC
STANDARDS PAGE P-5.45, S/N 58131-3

GRU Lights, Poles and Brackets, cont.


Concrete Poles for Standard (Gray) LED Roadway Cutoff Lights:



Description	Manufacturer	Catalog No.
CONCRETE POLE	ACCORD INDUSTRIES, PRESTRESSED POLE DIV.	
HEIGHT/TYPE (APR. WEIGHT):	DURA-STRESS, INC.	
30'/I (1,360 LBS.)		
35'/I (1,800 LBS.)		

GRU Lights, Poles and Brackets, cont.

Wood Poles for Standard (Gray) LED Roadway Cutoff Lights:



NOTE:

BIRTHMARK INCLUDES
LENGTH IN FEET, POLE
CLASS, MANUFACTURER'S
MARK AND YEAR PRODUCED.

<u>Description</u>	<u>Manufacturer</u>	<u>Catalog No.</u>
CCA TREATED WOOD POLE, SOUTHERN PINE	<u>NOTE:</u> MANUFACTURERS ARE LISTED BELOW	
HEIGHT/CLASS (APPROXIMATE WEIGHT:)		
30'/6 (606 LBS.)		NONE
35'/5 (888 LBS.)		NONE

APPROVED MANUFACTURERS

- | | |
|---|---|
| <ol style="list-style-type: none"> 1. T. R. Miller Mill Co., Inc.
P.O. Box 708
Brewton, Al. 36427 Phone: (205) 867-4331 2. Atlantic Wood Industries, Inc.
P. O. Box 1608
Savannah, Ga. 31498 Phone: (912) 964-1234 3. Swift Lumber, Inc.
P. O. Box Drawer 1298
Atmore, Al. 36502 Phone: (205) 368-2138 | <ol style="list-style-type: none"> 4. Apalachee Pole Company, Inc.
P. O. Box 7
Graceville, Fl. 32440 Phone: (904) 643-2121
(Send RFQ To:
P.O. Box 68
Bristol, Fl. 32321) 5. Ace Pole Co., Inc.
Waycross Hwy. 82E
P. O. Box 1323
Waycross, Ga. 31501 Phone: (912) 449-4011 6. Langdale Forest Products Co.
P.O. Box 1088
Valdosta, GA 31603 |
|---|---|


This Page Intensionally Left Blank



LED Roadway Cutoff - (Black) Light:
(Light Type L42, L43, L44; Pole Type P14, P17)

GRU Lights, Poles and Brackets, cont.

LED Roadway Cutoff 2 - (Black) Light:



GENERAL ELECTRIC LIGHTING

Description

LUMINAIRE, LED ROADWAY CUTOFF 2, BLACK WITH DIE-CAST ALUMINUM HOUSING. **SEE COMPLETE SPECIFICATIONS ON PAGE L-90.00 THRU L-90.03.**

Manufacturer

Catalog No.

SPECIFICATIONS:

LAMP WATTAGE RANGE: 80 TO 105 WATTS
LUMEN RANGE: 8,000 TO 8,800
VOLTAGE: 120 - 277 VOLTS
(WIRED FOR 120V.)

GENERAL ELECTRIC

ERL1-0-09-C3-30-A-
BLCK-GLR-111

LIGHT DISTRIBUTION -

IES TYPE: III
COLOR TEMPERATURE (CCA): 3,000 K. +/- 300
COLOR RENDERING INDEX: 70
OPERATING TEMPERATURE: -4 TO 122 F.
SURGE PROTECTION (MIN.): 10kV/10kA
INTERNAL BUBBLE LEVEL
TOOL-LESS ENTRY: YES
NEMA PHOTOCONTROL RECEPTACLE
EXTERNAL FIELD I.D. MARKER: A REFLECTIVE
YELLOW "1" ON BLACK BACKGROUND (1-1/2" TALL)


ADJUSTABLE SLIPFITTER: 1-1/4" TO 2"
COLOR: BLACK
WEIGHT: 18 LBS.

NOTE:

20 YEAR PHOTOCONTROL LISTED ON ELECTRIC
STANDARDS PAGE P-5.45, S/N 58151-8

GRU Lights, Poles and Brackets, cont.

LED Roadway Cutoff 3 - (Black) Light:



GENERAL ELECTRIC LIGHTING

Description

LUMINAIRE, LED ROADWAY CUTOFF 3, BLACK WITH DIE-CAST ALUMINUM HOUSING. **SEE COMPLETE SPECIFICATIONS ON PAGE L-90.00 THRU L-90.03.**

Manufacturer

GENERAL ELECTRIC

Catalog No.

ERLH-0-13-C3-30-A-
BLCK-GLR-052

SPECIFICATIONS:

LAMP WATTAGE RANGE: 140 TO 155 WATTS
LUMEN RANGE: 12,500 TO 13,500
VOLTAGE: 120 - 277 VOLTS
(WIRED FOR 120V.)

LIGHT DISTRIBUTION -

IES TYPE: III
COLOR TEMPERATURE (CCA): 3,000 K. +/- 300
COLOR RENDERING INDEX: 70
OPERATING TEMPERATURE: -4 TO 122 F.
SURGE PROTECTION (MIN.): 10kV/10kA
INTERNAL BUBBLE LEVEL
TOOL-LESS ENTRY: YES
EXTERNAL FIELD I.D. MARKER: A REFLECTIVE
YELLOW "1" ON BLACK BACKGROUND (1-1/2" TALL)


ADJUSTABLE SLIPFITTER: 1-1/4" TO 2"
COLOR: BLACK
WEIGHT: 20 - 25 LBS.

NOTE:

20 YEAR PHOTOCONTROL LISTED ON ELECTRIC
STANDARDS PAGE P-5.45, S/N 58151-8

GRU Lights, Poles and Brackets, cont.

LED Roadway Cutoff 4 - (Black) Light:



GENERAL ELECTRIC LIGHTING

Description

LUMINAIRE, LED ROADWAY CUTOFF 4, BLACK WITH DIE-CAST ALUMINUM HOUSING. **SEE COMPLETE SPECIFICATIONS ON PAGE L-90.00 THRU L-90.03.**

Manufacturer

Catalog No.

SPECIFICATIONS:

LAMP WATTAGE RANGE: 190 TO 230 WATTS
LUMEN RANGE: 21,000 TO 23,000
VOLTAGE: 120 - 277 VOLTS
(WIRED FOR 120V.)

GENERAL ELECTRIC

ERL2-0-23-C3-30-A-
BLCK-GLR-032

LIGHT DISTRIBUTION -

IES TYPE: III
COLOR TEMPERATURE (CCA): 3,000 K. +/- 300
COLOR RENDERING INDEX: 70
OPERATING TEMPERATURE: -4 TO 122 F.
SURGE PROTECTION (MIN.): 10kV/10kA
INTERNAL BUBBLE LEVEL
TOOL-LESS ENTRY: YES
EXTERNAL FIELD I.D. MARKER: A REFLECTIVE
YELLOW "1" ON BLACK BACKGROUND (1-1/2" TALL)

ADJUSTABLE SLIPFITTER: 1-1/4" TO 2"
COLOR: BLACK
WEIGHT: 20 - 25 LBS.

NOTE:

20 YEAR PHOTOCONTROL LISTED ON ELECTRIC
STANDARDS PAGE P-5.45, S/N 58151-8

GRU Lights, Poles and Brackets, cont.


Pole for Standard (Black) LED Roadway Cutoff Lights:

See Illustration on page 23

<u>Description</u>	<u>Manufacturer</u>	<u>Catalog No.</u>
DECORATIVE OCTAGONAL CONCRETE POLE WITH TOP CAP. TO BE USED FOR ROADWAY LIGHTING. SEE DRAWING ON PAGE 19, FOR POLE DRILLING SPECIFICATIONS AND OTHER DETAILS.		
<u>POLE SPECIFICATIONS:</u>		
POLE DIMENSIONS:	* AMERON	MEO-9 (6P3A) POLE
OVERALL LENGTH: 34' - 9"		DWG.# SK105801
BURIAL DEPTH: 5'-3"		REV. E
** POLE COLOR: BLACK/BLACK (6P3A), EXPOSED FINISH, W/ARCHITECTURAL (ACRYLIC) GLOSS COATING		
WEIGHT: 1,300 LBS. EACH		
* <u>POSSIBLE SUPPLIER:</u>		
JAG LIGHTING SOLUTIONS, INC. JUDY GRADDY 1061 CHOKE CHERRY DRIVE WINTER SPRINGS, FL 32708 PHONE: (407) 695-8547 FAX: (407) 696-3018		
** <u>NOTE:</u>		
PAINT HANDHOLE COVER AND TENON "BLACK" TO MATCH POLE.		

GRU Lights, Poles and Brackets, cont.

Pole for Standard (Black) LED Roadway Cutoff Lights:



GRU Lights, Poles and Brackets, cont.


Pole for Standard (Black) LED Roadway Cutoff Lights:

See Illustration on page 25

<u>Description</u>	<u>Manufacturer</u>	<u>Catalog No.</u>
DECORATIVE OCTAGONAL CONCRETE POLE WITH TOP CAP. TO BE USED FOR ROADWAY LIGHTING. SEE DRAWING ON PAGE 21, FOR POLE DRILLING SPECIFICATIONS AND OTHER DETAILS.		
<u>POLE SPECIFICATIONS:</u>		
POLE DIMENSIONS:	* AMERON	MEOX-10.6 (6P3A)
OVERALL LENGTH: 40' - 7"		POLE
BURIAL DEPTH: 5'-11"		DWG# SK093502
BUTT DIAMETER: 10"		REV. B
 ** POLE COLOR: BLACK/BLACK (6P3A), EXPOSED FINISH, W/ARCHITECTURAL (ACRYLIC) GLOSS COATING		
WEIGHT: 1,600 LBS. EACH		
 * <u>POSSIBLE SUPPLIER:</u>		
JAG LIGHTING SOLUTIONS, INC.		
JUDY GRADDY		
1061 CHOKE CHERRY DRIVE		
WINTER SPRINGS, FL 32708		
PHONE: (407) 695-8547		
FAX: (407) 696-3018		
 ** <u>NOTE:</u>		
PAINT HANDHOLE COVER AND TENON		
"BLACK" TO MATCH POLE.		

GRU Lights, Poles and Brackets, cont.

Pole for Standard (Black) LED Roadway Cutoff Lights:





LED Round Roadway Light - (Black)
(Light Type L51; Pole Type P11)

GRU Lights, Poles and Brackets, cont.


LED Round Roadway (Black) Light:



<u>Description</u>		<u>Manufacturer</u>	<u>Catalog No.</u>
LED "ROUND" DECORATIVE ROADWAY LUMINAIRE, WITH 7 PIN P.E. RECEPTACLE AND MOUNTING ARM.			
WATAGE RANGE:	120 TO 230	CYCLONE LIGHTING	CD20SR45-GAL-3- 120W-3K-120V-PTR- CP4323-RAL-9005TX
COLOR TEMPERATURE:	3000K		
LUMEN OUTPUT RANGE:	13,500 TO 14,500		
LIGHT COLOR:	BLACK		
DIAMETER:	25"		
DISTRIBUTION:	TYPE 3		
PHOTO CONTROL RECEPTACLE:	NEMA TWIST STYLE - 7 PIN (ANSI C136.41)		
VOLTAGE:	120V.		

GRU Lights, Poles and Brackets, cont.

Pole for LED Round Roadway (Black) Light:



ALUMINUM POLE USE
WITH THE ROUND BLACK "KIM LIGHTING"
LUMINAIRE

<u>Description</u>	<u>Manufacturer</u>	<u>Catalog No.</u>
NON-TAPERED ROUND ALUMINUM 30 FOOT (MOUNTING HEIGHT) POLE. THIS POLE IS USED WITH THE 400 W. METAL HALIDE LUMINAIRE LISTED ON PAGE L-75.00, IN THIS MANUAL.		
COLOR: BLACK		
NON-TAPERED ROUND ALUMINUM POLE	KIM LIGHTING	PRA306188-BL-P



This Page Intensionally Left Blank



LED Pendant Roadway Light
(Light Type L55; Pole Type P5)

GRU Lights, Poles and Brackets, cont.

LED Pendant Roadway Light:



CYCLONE LIGHTING

Description

LED "DOMUS & DOMIA:" DECORATIVE ROADWAY LUMINAIRE. TO BE USED IN RESIDENTIAL AREAS.

Manufacturer

Catalog No.

LUMINAIRE SPECIFICATIONS:

WATTAGE RANGE: 40 TO 60
LUMEN OUTPUT RANGE: 4,000 TO 5,000
COLOR TEMPERATURE: 3000K
PHOTO CONTROL: NEMA TWIST
STYLE - 7 PIN
(ANSI C136.41)
OPTICAL ASSEMBLY: IES TYPE III
FINISH COLOR: BLACK
WEIGHT: ??????

*CYCLONE LIGHTING
(MODEL DOMIA)

CY55P1B-GAL-3-40W-
3K-120-3F-PTDR-
RAL9005TX



MOUNTING ARM IS LISTED ON PAGE L-74.51

ADAPTER BRACKETS LISTED ON PAGE L-75.26

*** NOTE:**
**THE CYCLONE LUMINAIRE REQUIRES AN
ADAPTER BRACKET WHEN INSTALLED
ON A LUMEC MOUNTING ARM BRACKET.
(SEE ELECTRIC PAGE L-75.26)**

GRU Lights, Poles and Brackets, cont.

Pole for the LED Pendant Roadway Light:



Description

ROUND STEEL BOTTLENECK POLE WITH BASE AND JOINT COVERS MADE OF TWO PIECES OF CAST ALUMINUM MECHANICALLY FASTENED TO THE BASE AND POLE WITH STAINLESS STEEL SCREWS. THIS POLE IS USED WITH THE 100 W. HIGH PRESSURE SODIUM "LUMEC" LUMINAIRE LISTED ON PAGE L-74.50, IN THIS MANUAL.

Manufacturer

Catalog No.

SPECIFICATIONS:

SIZE: 4' DIAMETER X 18 FEET
ROUND
MATERIAL: STEEL
BASE PLATE: 13"
BOLT CIRCLE: 10-1/2"
ANCHOR BOLTS: 3/4" DIA. X 27"
WEIGHT: 135 LBS.
COLOR: BLACK

LUMEC (PHILIPS)


SM6F-18-BK-TX

PARTS LIST:


- 1 - 4" X 18'-0" ROUND "BLACK" STEEL POLE
- 1 - TWO (2) PIECE JOINT COVER - BLACK
- 1 - TWO (2) PIECE BASE COVER - BLACK
- MOUNTING HARDWARE (SCREWS)

GRU Lights, Poles and Brackets, cont.

Pole for the LED Pendant Roadway Light:




**Domus Luminaire
Assembled**



LED Small Pendant Pedestrian Light
(Light Type L56; Pole Type P21)

GRU Lights, Poles and Brackets, cont.

LED Small Pendant Pedestrian Light:




<u>Description</u>	<u>Manufacturer</u>	<u>Catalog No.</u>
LED "SMALL DOMUS" DECORATIVE PEDESTRIAN LUMINAIRE.		
<u>LUMINAIRE SPECIFICATIONS:</u>		
WATTAGE RANGE:	40 TO 60	* CYCLONE LIGHTING SY21P1-GAL-2-40W-3K-120-3F-CP4120-RAL9005TX
LUMEN RANGE:	4,000 TO 5,000	
COLOR TEMPERATURE:	3000K	
PHOTO CONTROL:	NEMA CAP STYLE - 7 PIN (ANSI C136.41)	
OPTICAL ASSEMBLY:	IES TYPE II	
FINISH COLOR:	BLACK	
WEIGHT:	???? (LUMINAIRE & BRACKET)	
EPA:	1.10 SQ. FT.	
<u>LUMINAIRE MOUNTING BRACKET:</u>		
ALUMINUM WITH CAST-IN POLE ADAPTER. SLIP-FITS A 3" (OUTSIDE DIAMETER) X 6" LONG TENON.	LUMEC (PHILIPS)	DBC-1A-RC/120-BK-TX
COLOR:		
	BLACK	

*** NOTE:**
THE CYCLONE LUMINAIRE REQUIRES AN ADAPTER BRACKET WHEN INSTALLED ON A LUMEC MOUNTING ARM BRACKET. (SEE ELECTRIC PAGE L-75.26)

GRU Lights, Poles and Brackets, cont.


Pole for the LED Small Pendant Pedestrian Light:



Anchor Base and Bolt Details

Pole Height (x)	Pole Diameter (Y)	Bolt Circle Dia.	Anchor Bolt Projection	Anchor Bolts Sizes	Base Cover Size	Conduit Opening
12"	3"	10-1/2"	5-1/2" to 6 - 1/2"	3/4" x 17" x 3"	12"	2' X 4-1/2"

STEEL POLE
USE WITH THE ROUND BLACK "SMALL DOMUS"
LUMINAIRE



Description

NON-TAPERED ROUND STEEL 12 FOOT POLE. THIS POLE IS USED WITH THE 100 W. METAL HALIDE LUMINAIRE LISTED ON PAGE L-74.75, IN THIS MANUAL.

COLOR: BLACK

SIZE: 12' HEIGHT X 3" DIAMETER

* ANCHOR BOLTS PROVIDED BY MANUFACTURER:

(4) 3/4" X 17" X 3" (STEEL)

(8) NUTS

(8) WASHERS

Manufacturer

LUMEC (PHILIPS)

Catalog No.


SM3J-12-BK -TX

* NOTE:

IMPORTANT, DO NOT OBSTRUCT SPACE
BETWEEN ANCHOR PLATE AND CONCRETE BASE.

GRU Lights, Poles and Brackets, cont.

Pole for the LED Small Pendant Pedestrian Light:




**Small Domus Luminaire
Assembled**



LED Acorn Pedestrian Light
(Light Types L52; Pole Type P1)

GRU Lights, Poles and Brackets, cont.

LED Acorn Pedestrian Light:



Description

LED PEDESTRIAN DECORATIVE "ACORN" CUTOFF TYPE LUMINAIRE.

Manufacturer

Catalog No.

LUMINAIRE SPECIFICATIONS:

WATTAGE: 67
TENON MOUNT ADAPTER TO CONVERT 3" NOMINAL OD FITTERS FOR USE WITH THE 4" TENON FITTER.
NEMA TWIST TYPE PHOTO CONTROL
IES TYPE THREE (III) INTERNAL REFRACTOR, IP66
WEATHERPROOF
FROSTED CLEAR ACRYLIC GLOBE WITH SPUN ALUMINUM BLACK HOOD AND A CAST ALUMINUM DECORATIVE FINIAL MECHANICALLY ASSEMBLED ON THE TOP OF THE GLOBE.
DECORATIVE POLE TOP MOUNTING ADAPTER
BLACK TEXTURED POWDER COAT (RAL9005TX)

CYCLONE LIGHTING


CG42T4-AGAF-3L-67W-
4K-120-EF2-F2AP-PTR-
R30-CP4026-RAL9005TX

PARTS INCLUDE:

- 1 - LUMINAIRE
- 1 - GLOBE
- 1 - TENON MOUNT ADAPTER (3" TO 4")

GRU Lights, Poles and Brackets, cont.

Pole for LED Acorn Pedestrian Light:



Description

DECORATIVE EMBEDDED CONCRETE POLE WITH TENON ATTACHMENT. TO BE USED IN THE RESIDENTIAL AREAS.

Manufacturer

Catalog No.

POLE SPECIFICATIONS:

POLE DIMENSIONS (PER CATALOG):

TENON: 3" O.D. x 3" HIGH
SHAFT LENGTH:: 9'-8"
BURIAL DEPTH: 4'-11"
OVERALL LENGTH: 14'-10"
LAMP CENTER: 11'-6"

* AMERON

FLUTED VICTORIAN
STYLE II POLE:
** VEF-3.0 (6P3)
WITH ACRYLIC

** POLE COLOR: BLACK
WEIGHT: 430 LBS. MINIMUM

TRADITIONAL
CONCRETE, INC.

D120X-MS-EA-3T-BC

OR

D1210X-MS-EA-3T-BC

* POSSIBLE SUPPLIER:

JAG LIGHTING SOLUTIONS, INC.
JUDY GRADDY
1061 CHOKE CHERRY DRIVE
WINTER SPRINGS, FL 32708
PHONE: (407) 695-8547
FAX: (407) 696-3018

** NOTE:

PAINT HANDHOLE COVER AND TENON
"BLACK" TO MATCH POLE.


This Page Intensionally Left Blank



LED Teradrop Roadway Light
(Light Types L53, L54; Pole Type P7)

GRU Lights, Poles and Brackets, cont.

LED Teradrop Roadway Light:



Description

LED "REARDROP" ROADWAY LUMINAIRE.

Manufacturer

Catalog No.

LUMINAIRE SPECIFICATIONS:

WATTAGE RANGE:	100 to 120	** CYCLONE LIGHTING	CO12P1UF-DP3GR-
LUMEN OUTPUT RANGE:	8,500 TO 11,500	(MODEL - TEARDROP)	GAL-3-102W-3K-120-
COLOR TEMPERATURE:	3000K		3F-RAL9005TX
PHOTO CONTROL			
RECEPTACLE:	NEMA TWIST STYLE - 7 PIN (ANSI C136.41)		
OPTICAL ASSEMBLY:	IES TYPE III		
GLOBE:	BOROSILICATE GLASS		
FINISH COLOR:	BLACK		
WEIGHT:	34 LBS.		

LUMINAIRE MOUNTING ARM BRACKETS:

LISTED ON PAGE L-75.27 & L-75.28

ADAPTER BRACKETS:


LISTED ON PAGE L-75.26

NOTES:

- **1) ADAPTER BRACKET IS REQUIRED WHEN
INSTALLED WITH A LUMEC MOUNTING
BRACKET.

GRU Lights, Poles and Brackets, cont.

2'-0" & 4'-0" Mounting Arm Brackets For LED Teradrop Roadway Light:



2'-0" MOUNTING ARM BRACKET

<u>Description</u>	<u>Manufacturer</u>	<u>Catalog No.</u>
200 W. HIGH PRESSURE SODIUM "RENAISSANCE" ROADWAY LUMINAIRE. LUMINAIRE MOUNTING BRACKETS:		
2'-0" X 2-3/8" ROUND ALUMINUM ARM WELDED. 9" SLIP-FITS OVER 5-9/16" O.D. POLE TENON. COLOR: BLACK	LUMEC, INC.	MM1A-OV(SSM8)-PH8/120-BK-TX-LMS20392F
4'-0" X 2-3/8" ROUND ALUMINUM ARM WELDED. 9" SLIP-FITS OVER 5-9/16" O.D. POLE TENON. COLOR: BLACK	LUMEC, INC.	MM-1A-OV-LMS34610B-4
	USS MANUFACTURER	MM-1A-4'-USS


REPLACEMENT PARTS:

BALLAST KIT C/W TRAY (LUMEC)	LUMEC, INC.	200HPS-RN20-QTA120 BALLAST ASSY- LMS20392A
BALLAST DRIVER MODULE (CYCLONE)	CYCLONE LIGHTING	CO12P1UF-SB3-200HPS-S18-QT/120
GLOBE ONLY (LUMEC)	LUMEC, INC.	RN20-GL-THA3 C/W ROATING- LMS20392A
LENS MODULE (CYCLONE)	CYCLONE LIGHTING	COP12P1UF-DP3GL

GRU Lights, Poles and Brackets, cont.

LED Teradrop Roadway Light Pole:

Note:
Joint and Base covers shall be installed with the seams parallel with the road, sidewalk, or parking area. The hand hole shall face away from the road when possible.



Description

ROUND STEEL BOTTLENECK POLE WITH BASE AND JOINT COVERS MADE OF TWO PIECES OF CAST ALUMINUM MECHANICALLY FASTENED TO THE BASE AND POLE WITH STAINLESS STEEL SCREWS. THIS POLE IS USED WITH THE 200 W. HIGH PRESSURE SODIUM "RENAISSANCE" LUMINAIRE LISTED ON PAGE L-75.25, IN THIS MANUAL.

Manufacturer

Catalog No.

SPECIFICATIONS:

SIZE: 5-9/16" DIA. X 26 FEET
ROUND WITH UPPER ARM

MATERIAL: STEEL

COLOR: BLACK

BASE PLATE: 15"

BOLT CIRCLE: 12-1/2"

ANCHOR BOLTS: 1" DIA. X 36"

WEIGHT: 372 LBS.

LUMEC (PHILIPS)

#SSM8V-26-BK-TX-BAS32-LMS20392A

WITH (1) CLAMP-ON LOWER BANNER ARM FOR 5-9/16" OD POLE

LUMEC (PHILIPS)


#BAA1-32-SSM8V-BK-TX

PARTS LIST:

- 1 - 5-9/16" X 26'-0" ROUND "BLACK" STEEL POLE
- 1 - TWO (2) PIECE JOINT COVER - BLACK
- 1 - TWO (2) PIECE BASE COVER - BLACK
- MOUNTING HARDWARE (SCREWS)
- 1 - UPPER BANNER ARM
- 1 - CLAMP-ON LOWER BANNER ARM


GRU Lights, Poles and Brackets, cont.

LED Teradrop Roadway Light Pole w/2'-0" Mounting Arm Bracket cont.:



GRU Lights, Poles and Brackets, cont.

LED Teradrop Roadway Light Pole w/4'-0" Mounting Arm Bracket cont.:






Flood Light


(Light Types L12, L10, L22; Pole Types P9, P13, P16, P19, P8, P12, P15, P18)

GRU Lights, Poles and Brackets, cont.

250 Watt and 400 Watt High Pressure Sodium Flood Light:



GENEAL ELECTRIC
W/TOP AND SIDE VISORS



AMERICAN ELECTRIC
W/TOP AND SIDE SHIELD

Description

HIGH PRESSURE SODIUM FLOODLIGHT. CAST ALUMINUM HOUSING **WITH SCREWS INSTALLED FOR THE INSTALLATION OF TOP AND SIDE SHIELDS OR VISORS.** LOCKING TYPE PHOTO ELECTRIC CONTROL RECEPTACLE. GALVANIZED STEEL YOKE BRACKET.

MINIMUM BEAM SPREAD: 6 x 6

SIZE: 250 WATT
(BALLAST: 120 V. REGULATOR)

Manufacturer

Catalog No.

** AMERICAN ELECTRIC
(WEIGHT: 37 LBS.)

** GENERAL ELECTRIC
(WEIGHT: 45 LBS.)

** S75024-RFD131458

** PF4S25S1A26X6GRL
WITH TSVAL-P4F
OR
PF4S25S1A26X6GR405
(INCLUDES SIDE SHIELD)

400 WATT
* (BALLAST: 120 V. REGULATOR
OR A MULTIVOLT 120/208/244/277
WIRED FOR 120 VOLTS)

** NOTE
TOP AND SIDE SHIELDS OR VISORS SHALL
BE PAINTED GRAY OR ALUMINUM (NOT
PAINTED) AND BE INCLUDED WITH THE
FLOOD LIGHT.
(SIDE SHIELDS OR VISORS SHALL BE
INSTALLED IN THE FIELD).

** AMERICAN ELECTRIC ** S750240-RFD131519
(WEIGHT: 37 LBS.)


** GENERAL ELECTRIC
(WEIGHT: 45 LBS.)

**MANUFACTURER
NO LONGER
AVAILABLE
(AS OF 2/15/17)**


**PF4S40S1A26X6GRL
WITH TSVAL-P4F
OR
PF4S40S0A26X6GRL
WITH TSVAL-P4F
OR
PF4S40S0A26X6GR405
(INCLUDES SIDE SHIELD)
OR
PF4S40S1A26X6GR405
(INCLUDES SIDE SHIELD)

GRU Lights, Poles and Brackets, cont.

400 Watt Metal Halide Flood Light:



GENERAL ELECTRIC
W/TOP AND SIDE
SHIELD



T & B
AMERICAN ELECTRIC
W/TOP AND SIDE
SHIELD

Description

METAL HALIDE FLOODLIGHT. CAST ALUMINUM HOUSING **WITH SCREWS INSTALLED FOR THE INSTALLATION OF TOP AND SIDE SHIELDS OR VISORS.** LOCKING TYPE PHOTO ELECTRIC CONTROL RECEPTACLE.

GALVANIZED STEEL YOKE BRACKET.

MINIMUM BEAM SPREAD: 6 x 6

BALLAST: 120 V. REGULATOR

GALVANIZED STEEL YOKE BRACKET

MINIMUM BEAM SPREAD: 6 x 6

SIZE: 400 WATT

*(BALLAST: 120 V. REGULATOR
OR A MULTIVOLT 120/208/244/277
WIRED FOR 120 VOLTS)

Manufacturer

** AMERICAN ELECTRIC
(WEIGHT: 37 LBS.)

** GENERAL ELECTRIC
(WEIGHT: 45 LBS.)

Catalog No.

75-40M-SC-12076YGGY
WITH RK75-VS

PF4S40E1A27X6GRL-TSVAL-
P4F

OR

PF4S40E1A27X6GR405
(INCLUDES SIDE SHEILD)


** NOTE:

TOP AND SIDE SHIELDS OR VISORS SHALL BE PAINTED GRAY OR ALUMINUM (NOT PAINTED) AND BE INCLUDED WITH THE FLOOD LIGHT.

(SIDE SHIELDS OR VISORS SHALL BE INSTALLED IN THE FIELD).

GRU Lights, Poles and Brackets, cont.

Concrete Pole for Flood Lights:



Description

CONCRETE POLE

HEIGHT/TYPE (APR. WEIGHT):

30'/I (1,360 LBS.)

35'/I (1,800 LBS.)

Manufacturer


ACCORD INDUSTRIES,
PRESTRESSED POLE DIV.

DURA-STRESS, INC.

Catalog No.

GRU Lights, Poles and Brackets, cont.

Wood Poles for Flood Lights:



NOTE:

BIRTHMARK INCLUDES
LENGTH IN FEET, POLE
CLASS, MANUFACTURER'S
MARK AND YEAR PRODUCED.

Description

CCA TREATED WOOD POLE, SOUTHERN PINE

Manufacturer

NOTE:

MANUFACTURERS
ARE LISTED BELOW

Catalog No.

HEIGHT/CLASS (APPROXIMATE WEIGHT:)

30'/6 (606 LBS.)

NONE

35'/5 (888 LBS.)

NONE

40'/5 (1,104 LBS.)

NONE

APPROVED MANUFACTURERS:

- | | |
|---|--|
| <p>1. T. R. Miller Mill Co., Inc.
P.O. Box 708
Brewton, Al. 36427 Phone: (205) 867-4331</p> | <p>4. Apalachee Pole Company, Inc.
P. O. Box 7
Graceville, Fl. 32440 Phone: (904) 643-2121
(Send RFQ To:
P.O. Box 68
Bristol, Fl. 32321)</p> |
| <p>2. Atlantic Wood Industries, Inc.
P. O. Box 1608
Savannah, Ga. 31498 Phone: (912) 964-1234</p> | <p>5. Ace Pole Co., Inc.
Waycross Hwy. 82E
P. O. Box 1323
Waycross, Ga. 31501 Phone: (912) 449-4011</p> |
| <p>3. Swift Lumber, Inc.
P. O. Box Drawer 1298
Atmore, Al. 36502 Phone: (205) 368-2138</p> | <p>6. Langdale Forest Products Co.
P.O. Box 1088
Valdosta, GA 31603</p> |