

1641 Sigman Road
PO Box 919
Conyers, GA 30012
1-770-922-8000 ext 303
www.biomassenergylab.com



Report of Analysis

BEL2533
BIORESOURCE MANAGEMENT, INC.
3520 NW 43rd Street
Gainesville, FL 32606

Company Contact: Brian Condon

BEL ID Number: BEL170434-1
Product / Commodity: Woody Biomass
Sample Designation: Boiler Feed Auto
Date Sampled: 2/3/2017

Sample Weight (kg): 1.27
Sample Received: 2/7/2017
Report Date: 2/14/2017
Report Code:
Purchase Order #:

Parameter	As-Received	Dry Basis	Analytical Method
Total Moisture (%)	44.08		CEN/EN 14774-1
Ash (%)	0.87	1.56	CEN/EN 14775
Volatiles (%)	45.50	81.36	CEN/EN 15148
Fixed Carbon (%)	9.54	17.06	By Difference
GCV (GJ/Tonne)	11.12	19.89	CEN/EN 14918
GCV (BTU/lb)	4782	8552	CEN/EN 14918
NCV cV (GJ/Tonne)	9.45	18.72	CEN/EN 14918
NCV cV (BTU/lb)	4064	8049	CEN/EN 14918
NCV cP (GJ/Tonne)	9.35	18.65	CEN/EN 14918
NCV cP (BTU/lb)	4021	8019	CEN/EN 14918
Carbon (%)	27.93	49.94	CEN/EN 15104
Hydrogen (%)	3.18	5.68	CEN/EN 15104
Nitrogen (%)	0.18	0.32	CEN/EN 15104
Sulfur (%)	0.01	0.02	CEN/EN 15104
Oxygen (%)	23.75	42.48	CEN/EN 15104

Prepared By:

Christopher Cox - Laboratory Manager

Results shown on this certificate represent only the quantity of sample which was submitted for analysis. BEL does not assume responsibility for selection, representation, and/or sample identifications. Analysis are carried out within the scope of Principal's instructions and with due care and skill. Claims in respect of services provided will be considered only if based upon failure to take due care proven by the Principal. Liability shall in no circumstances whatsoever exceed a total aggregate sum equal to 10 (ten) times the amount of the fee paid for the respective services to which the liability relates or from which it has arisen. This Certificate is not intended to relieve the parties to any relevant sales contract from their contractual obligations.